



LESE-EMPFEHLUNG

Kursiv: nicht peer-reviewed

Review-Artikel (13)

Hug K.; Rapp R.: Hochfrequente Strahlung und Gesundheit. Nachtrag A. Umweltmaterialien Nr. 162 2004; Bern: BUWAL

Silny J.; Meyer M.; Wiesmüller G.; Dott W.: Gesundheitsrelevante Wirkungen hochfrequenter elektromagnetischer Felder des Mobilfunks und anderer neuer Kommunikationssysteme. Umweltmed Forsch Prax 2004: 9 (3), 127-136.

Lawrentschuk N.; Bolton D.M.: Mobile phone interference with medical equipment and its clinical relevance: a systematic review. Med J Aust 2004: 181 (3), 145-9.

Kundi M.; Hansson Mild K.; Hardell L.; Mattsson M.: Mobile telephones and cancer - a review of epidemiological evidence. Journal of Toxicology and Environmental Health Part B: Critical Reviews 2004: 7 (5), 351-384.

Rubin G.J.; Das Munshi J.; Wessely S.: Electromagnetic hypersensitivity: a systematic review of provocation studies. Psychosom Med 2005: 67 (2), 224-32.

Bernhardt J.H.: Elektrosmog, Handys, Solarien usw. – Gesundheitsrisiken durch Strahlung? Gesundheitliche Aspekte nichtionisierender Strahlung. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz 2005: 48 (1), 63-75.

Kheifets L.; Repacholi M.; Saunders R.; van Deventer E.: The sensitivity of children to electromagnetic fields. Pediatrics 2005: 116 (2), e303-13.

Schüz J.: Mobile phone use and exposures in children. Bioelectromagnetics 2005: 7, S45-50.

Rubin G.J.; Das Munshi J.; Wessely S.: A systematic review of treatments for electromagnetic hypersensitivity. Psychother Psychosom 2006: 75 (1), 12-18.

Karger C.P.: Mobile phones and health: a literature overview. Z Med Phys 2005: 15 (2), 73-85.

Seitz H.; Eikmann T.; Rösli M.: Electromagnetic Hypersensitivity (EHS) and subjective health complaints associated with electromagnetic fields of mobile phone communication - a literature review. Umweltmedizin in Forschung und Praxis 2006: 11 (2), 71-79.

Lahkola A.; Tokola K.; Auvinen A.: Meta-analysis of mobile phone use and intracranial tumors. Scand J Work Environ Health 2006: 32 (3), 171-177.

Lerchl A.; Heinzow B.: Parameter des roten Blutbildes bei Exposition durch Mobilfunkanlagen. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz 2006; 49 (8), 233 - 235

Originaldaten (38)

Aalto S.; Haarala C.; Bruck A.; Sipila H.; Hamalainen H.; Rinne J.O.: Mobile phone affects cerebral blood flow in humans. J Cereb Blood Flow Metab 2006: 26 (7), 885-890.

Balikci K.; Cem Ozcan I.; Turgut-Balik D.; Balik H.H.: A survey study on some neurological symptoms and sensations experienced by long term users of mobile phones. Pathol Biol 2005: 53 (1), 30-34.

Besset A.; Espa F.; Dauvilliers Y.; Billiard M.; de Seze R.: No effect on cognitive function from daily mobile phone use. Bioelectromagnetics 2005: 26 (2), 102-8.

Celik O.; Hascalik S.: Effect of electromagnetic field emitted by cellular phones on fetal heart rate patterns. Eur J Obstet Gynecol Reprod Biol 2004: 112 (1), 55-56.

Collatz Christensen H.; Schüz J.; Kosteljanetz M.; Poulsen H.S.; Boice J.D. Jr.; McLaughlin J.K.; Johansen C.: Cellular telephones and risk for brain tumors: a population-based, incident case-control study. Neurology 2005: 64 (7), 1189-95.

Haarala C.; Bergman M.; Laine M.; Revonsuo A.; Koivisto M.; Hamalainen H.: Electromagnetic field emitted by 902 MHz mobile phones shows no effects on children's cognitive function. Bioelectromagnetics 2005: 7, S144-50.

- Hamblin D.L.;Croft R.J.;Wood A.W.;Stough C.;Spong J.: The sensitivity of human event-related potentials and reaction time to mobile phone emitted electromagnetic fields. Bioelectromagnetics 2006: 27 (4), 265-273.
- Hardell L.;Carlberg M.;Hansson Mild K.: Case-Control Study on Cellular and Cordless Telephones and the Risk for Acoustic Neuroma or Meningioma in Patients Diagnosed 2000-2003. Neuroepidemiology 2005: 25 (3), 120-128.
- Hardell L.;Carlberg M.;Hansson Mild K.: Pooled analysis of two case-control studies on the use of cellular and cordless telephones and the risk of benign brain tumours diagnosed during 1997-2003. Int J Oncol 2006: 28 (2), 509-518.
- Hardell L.;Carlberg M.;Hansson Mild K.: Use of cellular telephones and brain tumour risk in urban and rural areas. Occup Environ Med 2005: 62 (6), 390-4.
- Hepworth S.J., Schoemaker M.J., Muir K.R., Swerdlow A.J., van Tongeren M.J.A., McKinney P.A.: Mobile phone use and risk of glioma in adults: case-control study. British Medical Journal 2006: 332 (7546), 883-887.
- Hinrichs H.;Heinze H.-J.;Rotte, M.: Human Sleep under the Influence of a GSM 1800 Electromagnetic Far Field. Somnologie 2005: 9 (4), 185-191.
- Huber R.;Schuderer J.;Graf T.;Jutz K.;Borbely A.A.;Kuster N.;Achermann P.: Radio frequency electromagnetic field exposure in humans: Estimation of SAR distribution in the brain, effects on sleep and heart rate. Bioelectromagnetics 2003: 24 (4), 262-76.
- Huber R.;Treyer V.;Schuderer J.;Berthold T.;Buck A.;Kuster N.;Landolt H.P.;Achermann P.: Exposure to pulse-modulated radio frequency electromagnetic fields affects regional cerebral blood flow. Eur J Neurosci 2005: 21 (4), 1000-6.
- Huss A., Küchenhoff J., Bircher A., Niederer M., Tremp J., Waeber R., Braun-Fahrländer C.: Elektromagnetische Felder und Gesundheitsbelastungen - Interdisziplinäre Fallabklärungen im Rahmen eines umweltmedizinischen Beratungsprojektes. Umweltmed Forsch Prax 2005: 10 (1), 21-28.
- Hutter H.P.;Moshhammer H.;Wallner P.;Kundi M.: Subjective symptoms, sleeping problems, and cognitive performance in subjects living near mobile phone base stations. Occup Environ Med 2006: 63 (5), 307-13.
- Leitgeb N., Schröttner J., Böhm M.: Does "electromagnetic pollution" cause illness? An inquiry among Austrian general practitioners. Wien Med Wochenschr 2005: 155 (9-10), 237-241.
- Leitgeb N.;Schröttner J.;Cech R.;Kerbl R.: Investigation of sleep disorders in the vicinity of high frequency transmitters. Biomed Tech (Berl) 2004: 49 (7-8), 186-93.
- Lönn S.;Ahlbom A.;Hall P.;Feychting M.: Long-term mobile phone use and brain tumor risk. Am J Epidemiol 2005: 161 (6), 526-35.
- Lönn S.;Ahlbom A.;Hall P.;Feychting M.: Mobile phone use and the risk of acoustic neuroma. Epidemiology 2004: 15 (6), 653-9.
- Lönn S.;Klaeboe L.;Hall P.;Mathiesen T.;Auvinen A.;Christensen H.C.;Johansen C.;Salminen T.;Tynes T.;Feychting M.: Incidence trends of adult primary intracerebral tumors in four Nordic countries. Int J Cancer 2004: 108 (3), 450-5.
- Loughran S.P.;Wood A.W.;Barton J.M.;Croft R.J.;Thompson B.;Stough C.: The effect of electromagnetic fields emitted by mobile phones on human sleep. Neuroreport 2005: 16 (17), 1973-6.
- Maby E.;Le Bouquin Jeanes R.;Faucon G.;Liegeois-Chauvel C.;De Seze R.: Effects of GSM signals on auditory evoked responses. Bioelectromagnetics 2005: 26 (5), 341-50.
- Mann K, Connemann B, Röschke J : Cardiac Autonomic Activity during Sleep under the Influence of Radiofrequency Electromagnetic Fields. Somnologie 2005: 9, 180-184.
- Meyer M.; Gärtig-Daus A.; Radespiel-Tröger M.: Mobilfunkbasisstationen und Krebshäufigkeit in Bayern. Umweltmedizin in Forschung und Praxis 2006: 11 (2), 89-97.
- Muscat J.E.; Hinsvark M.; Malkin M.: Mobile Telephones and Rates of Brain Cancer. Neuroepidemiology 2006: 27 (1), 55-56.
- Nam KC, Kim SW, Kim SC, Kim DW: Effects of RF exposure of teenagers and adults by CDMA cellular phones. Bioelectromagnetics 2006: 27 (7), 509-514.
- Regel S.J.;Negovetic S.;Röösli M.;Berdñas V.; Schuderer J.; Huss A.;Lott U.;Kuster N.; Achermann P.: UMTS Base Station-Like Exposure, Well Being and Cognitive Performance. Environmental Health Perspectives 2006: 114 (8), 1270-1275 .

- Röösli M.; Moser M.; Baldinini Y.; Meier M.; Braun-Fahrländer C.: Symptoms of ill health ascribed to electromagnetic field exposure--a questionnaire survey. Int J Hyg Environ Health 2004: 207 (2), 141-50.
- Russo R.; Fox E.; Cinel C.; Boldini A.; Defeyter M.A.; Mirshekar-Syahkal D.; Mehta A.: Does acute exposure to mobile phones affect human attention?. Bioelectromagnetics 2006: 27 (3), 215-220.
- Schoemaker M.J.; Swerdlow A.J.; Ahlbom A.; Auvinen A.; Blaasaas K.G.; Cardis E.; Christensen H.C.; Feychting M.; Hepworth S.J.; Johansen C.; Klæboe L.; Lönn S.; McKinney P.A.; Muir K.; Raitanen J.; Salminen T.; Thomsen J.; Tynes T.: Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries. British Journal of Cancer 2005: 93 (7), 842-848.
- Schüz J.; Böhler E.; Berg G.; Schlehofer B.; Hettinger I.; Schlaefer K.; Wahrendorf J.; Kunna-Grass K.; Blettner M.: Cellular Phones, Cordless Phones, and the Risks of Glioma and Meningioma (Interphone Study Group, Germany). Am J Epidemiol 2006: 163 (6), 512-520.
- Schüz J.; Petters C.; Egle U.T.; Jansen B.; Kimbel R.; Letzel S.; Nix W.; Schmidt L.G.; Vollrath L.: The "Mainzer EMF-Wachhund": results from a watchdog project on self-reported health complaints attributed to exposure to electromagnetic fields. Bioelectromagnetics 2006: 27 (4), 280-287.
- Takebayashi T.; Akiba S.; Kikuchi Y.; Taki M.; Wake K.; Watanabe S.; Yamaguchi N.: Mobile phone use and acoustic neuroma risk in Japan. Occup Environ Med (online publication) 2006.
- Wilén J, Johansson A, Kalezić N, Lyskov E, Sandström M: Psychophysiological tests and provocation of subjects with mobile phone related symptoms. Bioelectromagnetics 2006: 27 (3), 204-214.
- Wolf R., Wolf D.: Increased incidence of cancer near a cell-phone transmitter station. International Journal of Cancer Prevention 2004: 1 (2), 2-19.
- Wood A.W.; Loughran S.P.; Stough C.: Does evening exposure to mobile phone radiation affect subsequent melatonin production?. Int J Radiat Biol 2006: 82 (2), 69-76.
- Yuasa K.; Arai N.; Okabe S.; Tarusawa Y.; Nojima T.; Hanajima R.; Terao Y.; Ugawa Y.: Effects of thirty minutes mobile phone use on the human sensory cortex. Clin Neurophysiol 2006: 117 (4), 900-905.